

Work Order ID 148731

Wednesday, July 06, 2016 8:45:17 AM

148731

Page 1

Item ID: D5957 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle
Start Date: 6/22/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 7/5/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: **DAS 21 9-89** Date: **JUL 11 2016** Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
----------	--------------

D5957	Rev B
-------	-------

100
100 HAAS CNC VERTICAL MACHINING #1 0.00
HAAS 1 Memo 0.87
HAAS CNC vertical machine #1 1-Machine as per folio D5957, Ensure Batch Number is entered 2-Machine Keyway 3-Deburr & Tumble

DAS
20 16-10-05
9-89
DAS
44 16-10-08
9-89

110
110 QC1- Inspection performed by CMM 0.00
QC Memo 0.10
Quality Control Inspect on CMM as per folio CMM A016.
DWG REV: _____
CMM PROG. REV: _____

QC2
4-11

DAS
20 16-10-05
9-89
DAS
44 16-10-08
9-89

120
120 QC8- Inspect parts - second check 0.00
QC Memo 0.01
Quality Control

DAS
33
9-89
16/10/11

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐		No Re-verification ☐		Pressure/Forced ☐		Temperature/Cure ☐	
Design ☐		Operator ☐		Bending ☐		Set-up ☐	
Doc/Data ☐		Offset/Setup ☐		Centre Not Concentric ☐		BOM/Route ☐	
Equip/Tooling ☐		Supplier ☐		Cracks ☐		Broken/Damage/Defect ☐	
Handling/Pre ☐		Training ☐		Crimp/Kink/Ripple/Wave ☐		Inspection Incomplete/Unqualified ☐	
Material ☐		Use for Testing ☐		Cuffs ☐		Contamination ☐	
Internal Transport ☐		Poor Information ☐		Crushing ☐		Countersink ☐	
Tribal Knowledge ☐		Rushing ☐		Heat Treat ☐		Cut Too Short ☐	
LOA ☐		Product Improvement ☐		Wave/Twist in Tube ☐		Instructions Incomplete/Unclear ☐	
Substation ☐		Process Improvement ☐		Marks/Chatter ☐		Drill Holes ☐	
Past Expiry Date ☐		Manufacturing Process ☐		OTHER :			
Misidentified ☐		Past Due ☐					

Work Order ID 148731

Wednesday, July 06, 2016 8:45:17 AM

148731

Page 2

Item ID: D5957

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle

Start Date: 6/22/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 7/5/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Chemical Conversion Coat per QSI005 4.1	0.00							
130									
HandFinish	Memo	0.05				(X4)	Ø		2016/10/17 BEB
Hand Finishing									
140	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
140									
Powdercoat	Memo	0.04							
Powder Coating	START TIME: 3:15 OVEN TEMPERATURE: FINISH TIME: 3:45								4 Ø 16-10-17 DAS 34 9-89
150	QC3- Inspect Part Finish	0.00							
150									
QC	Memo	0.01							
Quality Control									(4) DAS 38 9-89 OCT 18 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐																																																													
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval																																																									
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval																																																									
Root Cause		FAULT CATEGORY																																																															
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :			
Misidentified ☐	Past Due ☐																																																																

Work Order ID 148731

Wednesday, July 06, 2016 8:45:17 AM

148731

Page 3

Item ID: D5957

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle

Start Date: 6/22/2016 Start Qty: 4.00 ***4***

Cust Item ID:

Required Date: 7/5/2016 Req'd Qty: 4.00 ***4***

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location: <i>St399</i>	0.00							
160									
Packaging	Memo	0.01				4	DAS 6 9-89	OCT 2 1 2016	
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.07					DAS 21 9-89	OCT 2 1 2016	
Quality Control									
							DAS 21 9-89	OCT 2 1 2016	

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

Picklist Print

Wednesday, July 06, 2016 8:45:17 AM

Page 1
1

Work Order ID: 148731

148731

Parent Item: D5957

D5957

Parent Item Name: Saddle

Start Date: 6/22/2016

Required Date: 7/5/2016

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP Rev:E Re-Format 05-11-29 JLM
IPP Rev:F ecn826 06.12.06 ec

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-007

Manufactured No

110

Each

8.0000

1

4

D6101-007

4

DAS
20
9-89 16-10-04

Saddle Billet

Location

Loc Qty

Loc Code

MAT041

8

143818

1

146279

7

149258

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				


DART AEROSPACE LTD		Work Order:	148731
Description: Inner Aft Saddle		Part Number:	D5957
Inspection Dwg: D5957	Rev: B	Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	5.245	5.255		5.250	5.250	5.250	5.250		
D	6.995	7.005		7.000	7.000	7.000	7.000		
E	5.240	5.260		5.250	5.250	5.250	5.250		
F	4.745	4.755		4.750	4.750	4.750	4.750		
G	0.315	0.322		.316	.316	.316	.316		
H	1.522	1.532		1.527	1.527	1.527	1.527		
I	3.048	3.058		3.053	3.053	3.053	3.053		
J	4.575	4.585		4.580	4.580	4.580	4.580		
K	0.315	0.322		.316	.316	.316	.316		
L	0.495	0.505		.500	.500	.500	.500		
M	0.490	0.510		.503	.503	.503	.503		
N	1.865	1.885		1.875	1.875	1.875	1.875		
O	7.990	8.010		8.000	8.000	8.000	8.000		
P	2.240	2.260		2.250	2.250	2.250	2.250		
Q	0.308	0.313		.310	.310	.310	.310		
R	0.760	0.765		.762	.762	.762	.762		
S	0.490	0.510		.495	.500	.498	.499		
T	1.625	1.645		1.625	1.625	1.625	1.625		
U	2.000	2.020		2.000	2.000	2.000	2.000		
V	0.023	0.043		.033	.033	.033	.033		
W									
X									
Y									
Z									
AA									
AB									
AC									
AD									
AE									
AF									
Accept/Reject DAS									
Measured by: 20				Audited by: M.P.					
Date: 16-10-05 / 16-10-08				Date: 16/10/11					

Rev	Date	Change	Revised by	Approved
A	99.04.19	New Issue	RF	
B	02.12.13	Reformat; Added Dim. T-U & DT8682, DT8686 & DT8696 A/B	KJ/RF	
C	06.11.20	Added dimension V	KJ/JLM	
D	06.12.06	Dimensions L,N,P revised	KJ/EC	
E	07.06.15	Dimension G revised	KJ/JLM	
F	08.04.21	Dimension E revised	KJ/DD	
G	08.09.05	Dimension K revised	KJ/DD	
H	09.07.29	Dimension Q revised	KJ	


DESIGN BW	DRAWN BY CB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED CE	APPROVED 	DRAWING NO. D5957	REV. B SHEET 1 OF 1
DATE 06.11.07		TITLE INNER AFT SADDLE	SCALE 1:4
REV	DATE	DESCRIPTION	
A	97.05.06	NEW ISSUE	
B	06.11.07	INCORPORATE DEO 9102, DEO 9079; ADD 0.363 DIMENSION; Ø0.316 WAS Ø0.313; ADD TOLERANCE TO R2.000; ADD 0.363 DIM	



NOTES:

- NOTES:
- 1) MATERIAL: ALUMINUM 7075-T7351 PER QQ-A-250/12
(MAKE FROM D6101-007 SADDLE BILLET, 7075)
 - 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
 - 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK ALL SHARP EDGES 0.010 TO 0.020

UNCONTROLLED COPY
RETURN TO
ENGINEERING
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
TRANSFER
148731
MCS



ISOMETRIC VIEW
SCALE 1:8

COPYRIGHT © 1997 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD